

MINIBARS

Introduction	6 – 13
New HiPro Minibars	14 – 17
Drawer Minibars	18 – 19
Minibar Installation Guide	20 - 21
HiPro Exchange Guide	34



SAFES

Introduction	22 – 25
ProSafe Premium Class	26 – 29
ProSafe Standard Class	30 – 33

DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

DOMETIC.COM/PROFESSIONAL

4 — DOMETIC.COM/HOSPITALITY DOMETIC.COM/HOSPITALITY - 5







GIVE YOUR GUESTS AN UNFORGETTABLE STAY

You will find more Dometic minibars and safes than any other make in first-class hotels across the world. Why? Know-how accumulated over 50 years, a track record of innovation as well as leading design solutions are the three main reasons.

The top of the line new Dometic HiPro Evolution and Alpha range minibars are developed with your business experience in mind. A sustainable minibar is a smart minibar. The new HiPro Alpha and Evolution range is just that. Boasting precise temperature control, world class efficiency and the best minibar cooling capacity, the premium Dometic HiPro range ensures absorption technology checks in for a clean, sustainable future in your hotel.



NEW DOMETIC HIPRO MINIBARS

The next generation of minibars

The state-of-the-art design of Dometic HiPro will help you create a premium in-room feeling. With sleek design, elegant illumination and crystal clear doors, invite your guests to treat themselves to something special.

Sustainably checking in

Sustainability means doing more with less. It's a philosophy we put into action with an outstanding energy efficient minibar range on the market. The all new HiPro range delivers more powerful cooling with up to 40% less energy consumption, making a visible difference OPEX for hotel owners.

Read more on this on p.13



DRAWER MINIBARS

Unique design, outstanding construction

Our drawer minibars are a class of their own in terms of design, size and functionality. Efficient cooling, convenient slide-out access.

Read more on this on p.18

8 - DOMETIC.COM/HOSPITALITY DOMETIC.COM/HOSPITALITY - 9

SUSTAINABILITY AND EFFICIENCY: RECOGNIZED EXCELLENCE

At Dometic, we are proud to lead the way in sustainability, efficiency, and innovation in the hospitality industry. Our efforts have been widely recognized with several prestigious awards and certifications.

MOST EFFICIENT 2025 - ENERGY STAR®

Our minibars have been awarded the "Most Efficient 2025" label by ENERGY STAR® in the USA. This accolade reflects our commitment to creating products that deliver exceptional energy performance, helping hoteliers reduce operating costs and environmental impact.



LEADER LEVEL - MINDCLICK **SUSTAINABILITY ASSESSMENT** PROGRAM (MSAP)

The MindClick MSAP evaluates suppliers based on their environmental and social performance. Our minibars achieved the highest "Leader Level" rating, acknowledging our excellence in hotel impact, end-of-use considerations, packaging, and sustainable production practices.





DOUBLE STAR AWARD

Our Dometic HiPro minibar generation was voted gold in the Food & Beverage category of the Star Awards, a recognition chosen by readers and decision-makers in the hospitality sector. The Dometic MoBar also earned gold in the Technology category, reinforcing our reputation for combining innovation and functionality.





PLUS X AWARD


The Dometic HiPro Absorption minibars have been honored with the prestigious Plus X Award, celebrating excellence in High Quality, Design, Ease of Use, Functionality, and Ecology. As the first chromate-free absorption minibar, this innovation is a milestone in sustainable design and performance.



WHY IT MATTERS

Each recognition we receive drives us further in our mission to provide high-quality, energy-efficient, and sustainable solutions that exceed guest expectations. These achievements inspire us to continue setting new standards for sustainability and operational excellence in hospitality.





WE DEVELOPED HIPRO WITH HOTEL GUESTS IN MIND

A well-stocked minibar is an expected and appreciated hotel room feature for well-travelled hotel guests. Let's have a deeper look at some outstanding features we offer to the market with the all-new HiPro minibar generation:



1

Lower energy consumption

Dometic's new HiPro range will reduce energy consumption by up to 40%.

2

Premium guest experience

New HiPro will be an attractive and sales-promoting feature in the guest room.

3

Improved cooling power

Improved cooling capabilities with updated and optimised functionality.

4

A strong partner

With more than 50 years of experience and more than 6 million installed units; we are a proven partner.







EVOLUTION C40G EVOLUTION C60S2 EVOLUTION C60G2

Compressor

60

49

Solid door

490 x 565 x 510

19.5

Yes

With ventilation

Yes

45

53

36

Performance

Integrated

Ambient

trim

silent mode

illumination

• 2 x door racks

2 x tempered

Adjustable

shelves

handle

Aluminium

Key lock

9620001774

(Right Hinge)

9620001769

(Left Hinge)

glass shelves

with decorative

Hiah

Compressor

60

49

Glass door

490 x 565 x 510

22.5

With ventilation

Yes

45

80

36

Performance

silent mode

illumination

• 2 x door racks

with decorative

glass shelves

Key Lock

9620001754

(Right Hinge)

9620001766

(Left Hinge) ^ Manual activation

• Adjustable

shelves

Aluminium

handle

Integrated

Ambient

trim 2 x tempered

High





A sustainable minibar is a smart minibar. The new Dometic HiPro range is just that. It's also more efficient with improved cooling and up to 40% less energy consumption. After more than 50 years in the hotel business and 6 million installed units, we're proud to say that we're pioneering the hotel industry. Again.





A40S



TECHNICAL DATA

Cooling technology

Product dimensions

Model class (I)

Volume (I)

Door type

 $W \times H \times D (mm)$ Weight (kg)

Sliding hinge kit

Variable door hinge

LED interior light

Input rating (W) **Energy consumption**

Features

Options

Ref No.

(EU Std, kWh/annum) Noise level (db[A])

Can be built-in/integrated

EVOLUTION A30S

Absorption

30

26

Solid door

384 x 520 x 446

13.7

Yes

With ventilation

Yes

60-70

195

0

illumination

with decorative

1 x door rack

• 1x tempered

Aluminium

handle

Decorative

panel on

Long lasting

evaporator

technology

Key lock

9600029248

(Right Hinge)

9600029249

(Left Hinge)

glass shelf

· Adjustable shelf

Noiseless

• Ambient

EVOLUTION A40S

Absorption

40

33

Solid door

405 x 550 x 466

15.3

Yes

With ventilation

Yes

60-70

210

0

illumination

with decorative

2 x door racks

• 2 x tempered

Aluminium

Adjustable

shelves Decorative

panel on

· Long lasting technology

evaporator

Key lock

9600029098

(Right Hinge)

9600029099

(Left Hinge)

handle

glass shelves

Noiseless

• Ambient

EVOLUTION C40S

Compressor

40

33

Solid door

405 x 550 x 481

17.5

Yes

With ventilation

Yes

45

47

33

performance

Integrated

silent mode

illumination

• 2 x door racks

2 x tempered

• Adjustable

shelves

Aluminium

handle

glass shelves

Key lock

9600029110

(Right Hinge)

9600029109

(Left Hinge)

with decorative

Ambient

trim

• High

Ambient top + bottom

Compressor

40

33

Glass door

405 x 550 x 481

20.1

With ventilation

Yes

45

56

33

Performance

Integrated

silent mode

illumination

2 x door racks

2 x tempered

glass shelves

Adjustable

Aluminium

Key lock

9600029114

(Right Hinge)

9600029113

(Left Hinge)

shelves

handle

with decorative

Ambient

trim

High

MODEL











1. Aluminium handle

Stylish aluminium handle for all Evolution models.



2. Control panel Easy to use control panel with status LED.



3. Door racks Included in all type of doors, also for the transparent doors.

EVOLUTION A30S

EVOLUTION A40S

EVOLUTION C40S

EVOLUTION C40G EVOLUTION C60S2 EVOLUTION C60G2

See the replacement guide on p.34 which new HiPro can replace your existing minibar.

14 - DOMETIC.COM/HOSPITALITY











(Left Hinge) ^ Manual activation







ALPHA C60G1

Compressor

60

49

Glass door

491 x 565 x 510

22.5

With ventilation

Yes

45

80

36

Performance

silent mode[^]

2 x door racks

• 1 x plastic shelf

9620001770

Adjustable shelf

Integrated

• High

		11
		7
fficient	Most Efficient	Most Eff

ALPHA C40G

Compressor

40

33

Glass door

405 x 550 x 481

20.1

With ventilation

Yes

45

56

33

Integrated

silent mode

2 x door racks

1 x plastic shelf

Key lock

9600029283

(Right Hinge)

9600029284

(Left Hinge)

Adjustable shelf

High



ALPHA C60S1

Compressor

60

49

Solid door

490 x 565 x 510

19.5

Yes

With ventilation

Yes

45

53

36

Integrated

silent mode

2 x door racks

Adjustable shelf

Key lock

9620001768

(Right Hinge)

9620001758

(Left Hinge)

• 1 x plastic shelf

Hiah



Many business travellers are constantly on the move living a suitcase life. Most days represent hard work with long hours – arriving late to the room preparing for the next day's meeting while burning the midnight oil. That's why the minibar is a much appreciated feature offering cold beverages and energising snacks. For the leisure tourist, the hotel minibar is an opportunity to enjoy a cold beverage at the late arrival check-in, after a long city excursion and while getting ready for a fun night out – or perhaps waking up with a need to quench the thirst.









3. Control panel Easy to use control panel with status LED.



TECHNICAL DATA

Cooling technology

Product dimensions

Model class (I)

Volume (I)

Door type

 $W \times H \times D (mm)$

Sliding hinge kit

Variable door hinge

LED interior light

Input rating (W)

Features

Options

Ref No.

C40S

Energy consumption

(EU Std, kWh/annum) Noise level (db[A])

Can be built-in/integrated

Weight (kg)

ALPHA A30S

Absorption

30

26

Solid door

384 x 520 x 446

13.7

Yes

With ventilation

Yes

60-70

195

0

Noiseless

• 1 x door rack

Long lasting

technology

Key lock

9600028960

(Right Hinge)

9600028961

(Left Hinge)

• 1 x plastic shelf

Adjustable shelf

ALPHA A40S

Absorption

40

33

Solid door

405 x 550 x 466

15.3

Yes

With ventilation

Yes

60-70

210

0

• 2 x door racks

• 1 x plastic shelf

Adjustable shelf

Key lock

9600028964

(Right Hinge)

9600028965

(Left Hinge)

Long lasting

Noiseless

ALPHA C40S

Compressor

40

33

Solid door

405 x 550 x 481

17.5

Yes

With ventilation

Yes

45

47

33

Integrated

silent mode

• 1 x plastic shelf

• Adjustable shelf

Key lock

9600049599

(Right Hinge)

9600049600

(Left Hinge)

2 x door racks

Hiah

LED top light

MODEL

ALPHA C60S1 ALPHA C40G





ALPHA C60G1

See the replacement guide on p.34 which new HiPro can replace your existing minibar.



Luxury black handle for all Alpha models.

16 - DOMETIC.COM/HOSPITALITY



9600049502





for flexible storage






for flexible storage



TECHNICAL DATA	Most Efficient 2025 RATING	Most Efficient 2005 ATTING Most Efficient Most Most Most Most Most Most Most Most
MODEL	DM 50CD	DM 50CF
Refrigeration technology	Compressor	Compressor
Volume (I)	50	50
Product dimensions W x H x D (mm)	550 x 423 x 508	550 x 423 x 478
Weight (kg)	24.5	23.4
Refrigerant type	R600a	R600a
LED interior light	Yes	Yes
Colour	Black	Black
Thermostat control	Electronic thermostat	Electronic thermostat
Noise level (db[A])	39	39
Features	 Mini drawer with rotatable dividers for mini bottles or snacks Main drawer with 4 bottle fingers and multiple sized dividers 	 Mini drawer with rotatable dividers for mini bottles or snacks Main drawer with 4 bottle fingers and multiple sized dividers



PATENTED

- Unique design for convenient slide-out access
- Patented and design awarded technology







Ref No.

1. Sliding rails Perfect workmanship – removable and smooth running sliding rails for convenient use.



2. Interior lights LED interior light – nicely features the snacks and beverages inside.



9600028688

3. Sliding drawers Simply slides out and self closing drawer provides easy access to the contents.



D models with Dometic front panel – F models with a front panel of your choice

D Version: Door with anthracite grey Dometic front panel and handle

F Version: Door with plain front allowing the designer and furniture manufacturer to complete the door finish with a custom front panel based on our specifications (dimensions/thickness/weight)

VENTILATION GUIDELINES

HIPRO MINIBARS AND HIPRO CARE MINIFRIDGES


Dometic absorption fridges are equipped with an electrically heated cooling unit which is virtually silent in operation. The heat which the cooling unit extracts from the refrigerator interior is emitted at the back of the fridge. If you have a free-standing model, sufficient directly near a heat source. ventilation is provided in most cases. If you want to integrate the fridge into a piece of furniture, however, the following instructions You can find all our documents, manuals and guidelines at need to met.


Please note that there must be sufficient room for ventilation behind the refrigerator to prevent heat build-up. During installation, make sure that the refrigerator is standing on a stable, level surface, and not


documents. dometic.com.

520 mm 446 mm

550 mm 466 mm 565 mm 510 mm









N30. N40

A30 A40 C40

DM50 DRAWER MINIBARS



RH & DM20 MINIBARS



Important note

Please read these instructions carefully and follow all instructions, guidelines, and warnings included in all our product manuals in order to ensure that you install, use, and maintain our products properly at all times.

By using our products, you hereby confirm that you have read all instructions, guidelines, and warnings carefully and that you understand and agree to abide by the terms and conditions as set forth herein. You agree to use our products only for the intended purpose and application and in accordance with the instructions, guidelines, and warnings as set forth in the product manuals as well as in accordance with all applicable laws and regulations. A failure to read and follow the instructions and warnings set forth herein may result in an injury to yourself and others, damage to your product or damage to other property in the vicinity. Our product manuals, including the instructions, guidelines, and warnings, and related documentation, may be subject to changes and updates. For up-to-date product information, please visit dometic.com.

20 - DOMETIC.COM/HOSPITALITY DOMETIC.COM/HOSPITALITY - 21

150 cm² 200 cm²

22 - DOMETIC.COM/HOSPITALITY - 23





FROM STANDARD **TO PREMIUM**

The range of Dometic ProSafe models

Security is an essential requirement for hotel guests, and one of the main reasons for choosing or discarding a destination and a hotel. The Dometic Group, aware of this, is always developing and improving all of its products in order to meet the needs of customers.

The latest product innovation Dometic has launched is a ProSafe range which goes one step further in terms of design, functionality, technology and security. This ProSafe range has a very modern design with a colour display, an illuminated keypad, the latest anti-tampering system and a new website platform which offers the

possibility to operate the safe with the strictest security. The elegant cabinets of the new ProSafe generation have rounded corners and edges for enhanced safety. Contemporary design.

- Master key
- LED interior light
- iAudit system unique in the industry
- Remote Emergency Opening System (REOS 2.0) - ultimate security and user comfort
- Battery level check



Premium Class

Excellence in form and function: Dometic innovations like iAudit tracking and the REOS Remote Emergency Opening System ensure security on all levels.



Standard Class

High security level combined with easy operation for perfect comfort and convenience.

PRODUCT FINDER – THE QUICK WAY TO FIND THE RIGHT PRODUCT

Laser-cut door

Our doors are precisely cut and crafted by a laser beam. This allows us to achieve 100% accuracy in dimensions and an extremely small clearance between the door and casing, making the door impossible to pry open.

Anti-Tamper system

With the anti-tampering system, Dometic offers a unique security feature for their models. All anti-tampering manipulation attempts are recorded in the electronic of the safe and can be tracked back at any time.

REOS code

REOS stands for Dometic's Remote **Emergency Opening System. The emergency** opening system from Dometic is based on an innovative encoding system. The unique solution combines advanced electronics with state-of-the-art online technology to allow simple yet highly secure emergency opening by authorised hotel staff.

Premium iAudit

All operations effected on a safe must be documented - for your own security and for your insurance provider.

This is where Dometic's Premium iAudit system offers a truly convenient solution: the integrated microchip provides storage capacity for the last 1,000 events.

SAM

The unique Dometic Safe Management System (SAM) allows for iAudit Trail and one time emergency code generation (REOS) from a user friendly but PIN secured internet based software tool.

● Yes / - No / O Optional

WHAT'S IMPORTANT TO YOU?	PREMIUM CLASS	STANDARD CLASS
Easy operation	•	•
Motorised opening	•	•
LED interior light	•	•
LED display	•	•
Emergency opening with master key	•	•
Emergency opening with master code	•	•
Emergency opening with REOS code	0	-
Anti-tampering system	0	-
Premium iAudit	•	-
SAM	0	-
Laser-cut door	•	-
From page	28	32

24 - DOMETIC.COM/HOSPITALITY DOMETIC.COM/HOSPITALITY - 25 NEROOM



DOMETIC PREMIUM CLASS SAFES

Protection for more privacy - comfortably and with absolute reliability. With a Dometic Premium Class ProSafe, a hotel room becomes a perfectly private haven for the guest. A safe place for storage, conceived and implemented according to the newest standards. Its innovative and customisable design suits every hotel in a stylish way. Smooth surfaces and rounded edges make it easy to code-opening system (optional). look after and give it long-lasting character. A colour display and the integrated soft-touch keypad make operation easy. And a Premium

- LED interior light
- Laser-cut door and frame
- iAudit for convenient documentation
- Emergency opening with key and master code
- Remote Emergency Opening System (REOS 2.0) - ultimate security and user comfort (optional)

Class ProSafe also breaks new ground when it comes to protective properties: pioneering technology like the unique iAudit and the anti-tampering system ensure security on all levels. The demand for contemporary security systems with added convenience is supported by special features such as REOS 2.0 software with its emergency



WIDE CHOICE OF MODELS AND SIZES

Dometic ProSafe MD series Premium Class safes are available in various sizes to suit different capacity demands, interior designs and installation conditions. Sizes range from 8.2 to 29 litres.





1. Batteries powered

Batteries included – Dometic safes come ready to use.



2. Automatic door

Automatic opening – Safe door opens automatically.



3. Fixing kit

Fixing kit - Optional fixing kit for secure fastening.



	\leq





MD 493

29

490 x 190 x 370

487 x 187 x 320

Door: 5.0 / Body 1.5

12.4

























































Two steps emergency code opening (REOS)

Left-hand hinge

 Fixing Kit Master key

White colour (MOQ's apply)

0

15"

9600025517

MD 408

22.5

405 x 190 x 350

402 x 187 x 300

Door: 5.0 / Body 1.5

10.4



Electronic safe

ADA-compliant rubber keypad

White LED colour display, 4-digit guest code, English language

Two 18 mm solid steel bolts

Motorised with automatic opening 4 LR6/AA 1.5 V batteries (incl.)

Anthracite

Left-hand hinge

 Fixing Kit Master key

9600025524



	N N N N N N N N N N	F	F
TECHNICAL DATA		15"	17"
MODEL	MD 283	MD 363	MD 383
Type of product		Electronic safe	
Capacity (liters)	8.2	24	28
Exterior dimensions $W \times H \times D \text{ (mm)}$	280 x 165 x 235	360 x 190 x 410	380 x 190 x 450
Interior dimensions $W \times H \times D \text{ (mm)}$	277 x 162 x 185	357 x 187 x 360	377 x 187 x 400
Steel thickness (mm)	Door: 5.0 / Body 1.2	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5
Net weight (kg)	6.1	10.2	11.3
Keypad		ADA-compliant rubber keypad	
Display	White LE	D colour display, 4-digit guest code, English	language
Locking mechanism		Two 18 mm solid steel bolts	
Locking system		Motorised with automatic opening	
Power		4 LR6/AA 1.5 V batteries (incl.)	
Cabinet colour	Anthracite		
FEATURES			
LED interior light	•	•	•
Laser cut technology	•	•	•
Masterkey opening*	•	•	•
Mastercode opening	•	•	•
Anti-tampering system	0	0	0
REOS	0	0	0
iAudit	•	•	•
Laptop size	-	15"	17"
OPTIONS			
	Left-hand hingeFixing KitMaster key	Left-hand hinge White colour (MOQ's apply) Two steps emergency code opening (REOS) Fixing Kit Master key	 Left-hand hinge White colour (MOQ's apply) Two steps emergency code opening (REOS) Fixing Kit Master key

9600025509

9600025507

9600025515

TECHNICAL DATA

Type of product Capacity (liters)

Steel thickness (mm)

Locking mechanism

Locking system

Cabinet colour

LED interior light Laser cut technology Masterkey opening* Mastercode opening Anti-tampering system

FEATURES

REOS

iAudit Laptop size

OPTIONS

Ref No.

Net weight (kg)

Keypad Display

Power

Exterior dimensions W x H x D (mm)

Interior dimensions $W \times H \times D \text{ (mm)}$

MODEL

Ref No.

[●] Yes / – No / O Optional

 $^{{}^{\}star}\text{Master keys are optional, must be ordered separately, and are model-specific.}$

[●] Yes / – No / O Optional

 $^{^{\}star}$ Master keys are optional, must be ordered separately, and are model-specific.

DOMETIC STANDARD CLASS SAFES

Robustly made with user-friendly features and functions

It puts hotel guests' mind at rest to have a safe place for their valuables • Robust and reliable while travelling. Providing a secure space for important or valuable • LED display objects yet it is a distinctive feature when choosing a hotel room or • LED interior light suite. With a Standard Class ProSafe, you can create a reliable spot • Master key and master code emergency opening in a guest room that is worth every penny. Security and functionality • Wide choice: vertical, horizontal, top-opening are paramount with all Dometic safe models. The Standard Class safe models offer your guests a high level of security thanks to their robust construction. Their simple and intuitive usability provides perfect comfort and convenience.

WIDE CHOICE OF MODELS AND SIZES



DOMETIC PROSAFE MD 310 / 390 / 450 SAFE INVESTMENT

The doors on all the Standard Class safe models are precisely cut and crafted. Their robust construction and a locking system with extra-strong steel bolts leave no point of attack for burglars. The LED interior light minimises the risk of forgotten valuables. Fast and secure emergency opening is possible with a master key or master code (depending on the model).

- Robust, reliable construction for optimal safety
- LED interior light makes the contents visible at a glance
- Emergency opening with master key or master code







DOMETIC PROSAFE MDT TOP-OPENING SAFE

Part of the Dometic Standard Class range, the Dometic ProSafe MDT 400 X top-opening safe provides a simple, yet ingenious solution that is easy to operate and safe to use. The top-opening drawer safe can be integrated in an existing furniture drawer and provides easy access to guests' valuables. At the same time it meets the highest demands on ergonomic design, comfort and security with an LED inside light for standard, master key and master code opening possibility in case of emergency, digital LED illuminated keypad, four-digit code and top-opening stabilizer arm. An audio signal confirms that the safe is securely locked.

- Convenient access from above
- LED interior light makes the contents visible at a glance
- Enough room to fit laptop and tablet computers
- Ideal for installation into existing hotel room drawer
- Stabilizer arm for smooth opening and closing of the lid











Fixing kitMaster key



9106601394



TECHNICAL DATA		17"
MODEL	MD 310	MD 390
Type of product	Electro	onic safe
Capacity (litres)	9	31.5
Exterior dimensions $W \times H \times D \text{ (mm)}$	310 x 165 x 245	390 x 200 x 480
Interior dimensions W x H x D (mm)	306 x 161 x 182	386 x 196 x 418
Steel thickness (mm)	Door: 5.0 / Body 2	Door: 5.0 / Body 2
Net weight (kg)	7.1	14.3
Keypad	Rubber	keypad
Display	Red LED 4-digit guest	code, English language
Locking mechanism	Two 19 mm steel bolts	
Locking system	Motorised with automatic opening	
Power	4 LR6/AA 1.5 V batteries (incl.)	
Cabinet colour	Anth	racite
FEATURES		
Confirmation buzzer	•	•
LED interior light	•	•
Door handle opening	-	-
Masterkey opening*	•	•
Mastercode opening	•	•
Anti-tampering system	-	-
REOS	-	-
iAudit	-	-
Laptop size	-	17"
OPTIONS		
	Left-hand hinge	Left-hand hinge

	 Left-hand hinge Fixing kit Master key 	 Left-hand hinge Fixing kit Master key
Ref No.	9106601372	9108300290

 $^{^{\}star}\text{Master}$ keys are optional, must be ordered separately, and are model-specific.

● Yes / – No / O Optional

TECHNICAL DATA	15"	15"			
MODEL	MD 450	MDT 400X			
Type of product	Electronic safe				
Capacity (litres)	30.4	9.7			
Exterior dimensions $W \times H \times D \text{ (mm)}$	450 x 200 x 410	400 x 130 x 350			
Interior dimensions W x H x D (mm)	446 x 196 x 348	390 x 75 x 300			
Steel thickness (mm)	Door: 5.0 / Body 2	Door: 3.0 / Body 1.5			
Net weight (kg)	14.5	9			
Keypad	Rubber keypad				
Display	Red LED 4-digit guest code, English language	White LED 4-digit guest code, English language			
Locking mechanism	Two 19 mm steel bolts				
Locking system	Motorised with automatic opening				
Power	4 LR6/AA 1.5 V batteries (incl.)				
Cabinet colour	Anthracite				
FEATURES					
Confirmation buzzer	•	•			
LED interior light	•	•			
Door handle opening	-	-			
Masterkey opening*	•	•			
Mastercode opening	•	•			
Anti-tampering system	-	-			
REOS	-	-			
iAudit	-	-			
Laptop size	15″	15"			
OPTIONS					

Ref No. ${}^\star \text{Master}$ keys are optional, must be ordered separately, and are model-specific.

Left-hand hingeFixing kitMaster key

9108300294

● Yes / – No / O Optional





HIPRO REPLACEMENT GUIDE

Which new Dometic HiPro minibar can replace your old minibar

OLD MODEL	PRODUCT DIMENSIONS WxHxD(mm)	COOLING TECHNOLOGY	NEW MODEL	PRODUCT DIMENSIONS WxHxD(mm)
HiPro 3000	388 x 527 x 418	Absorption	HiPro Evolution A30S	384 x 520 x 446
			ALTERNATIVE	
			HiPro Alpha A30S	384 x 520 x 446
HiPro 4000	405 x 559 x 452	Absorption	HiPro Evolution A40S	405 x 550 x 466
			ALTERNATIVE	
			HiPro Alpha A40S	405 x 550 x 466
			HiPro Evolution C40S	405 x 550 x 481
RH 430 LD	384 × 522 × 410	Absorption	HiPro Alpha A30S	384 x 520 x 446
			HiPro Evolution A30S	384 x 520 x 446
	401 x 554 x 446	Absorption	HiPro Alpha A40S	405 x 550 x 466
RH 440 LD			HiPro Evolution A40S	405 x 550 x 466
			ALTERNATIVE	
			HiPro Alpha C40S	405 x 550 x 481
			HiPro Evolution C40S	405 x 550 x 481
CL 440 LDC	401 x 554 x 440	Compressor	Hipro Alpha C40S	405 x 550 x 481
			Hipro Evolution C40S	405 x 550 x 481
CL 440 LGC (Glass Door)	401 x 554 x 450	Compressor	Hipro Alpha C40G	405 x 550 x 481
			Hipro Evolution C40G	405 x 550 x 481
RH460LD DP	486 x 563 x 474	Absorption	HiPro Alpha C60S	490 x 565 x 510
			HiPro Evolution C60S	490 x 565 x 510
CL460LDC	485 x 562 x 475	Compressor	HiPro Alpha C60S	490 x 565 x 510
			HiPro Evolution C60S	490 x 565 x 510
CL460LGC	485 x 562 x 485	Compressor	HiPro Alpha C60G	490 x 565 x 510
			HiPro Evolution C60G	490 x 565 x 510



34 — DOMETIC.COM/HOSPITALITY DOMETIC.COM/HOSPITALITY - 35

AUSTRALIA DOMETIC AUSTRALIA PTY LTD.

Victoria

PO Box 1140
 CLAYTON SOUTH VIC 3169
 PENROSE, AUCKLAND

 Tel
 +61 (03) 9239 1000
 Tel
 +64 (9) 622 1490

 Fax
 +61 (03) 9239 1099
 Fax
 +64 (9) 622 1573

 Email lodging@dometic.com.au
 Email customerservices
 CLAYTON SOUTH VIC 3169

Queensland

PO Box 2495 BURLEIGH BC QLD 4220 Tel +61 (07) 5507 6000 Fax +61 (07) 5507 6001 Email lodging@dometic.com.au

Western Australia

12 Prosperity Ave WANGARA WA 6065 Tel +61 (08) 9303 3555 Fax +61 (08) 9303 3577 Email lodging@dometic.com.au

NEW ZEALAND DOMETIC NEW ZEALAND LTD.

Auckland

PO Box 12011 PENROSE, AUCKLAND 1642

Email customerservices@dometic.co.nz

We distribute our products in around 100 markets. Please mail us at: hospitality@dometic.com, or check our website dometic.com/hospitality

