



BEVARIN
W e l l n e s s

VARIN-RICH HEMP EXTRACT CLINICAL RESULTS

STUDY Methodology

VARIN-RICH HEMP EXTRACT HUMAN CLINICAL STUDY

Study: Product Safety Study

Product: Varin-rich Hemp Extract

Duration: 90-days

Format: Randomized, double-blind, placebo-
controlled human study

Subjects: 125 individuals

90-day, 125-person, randomized, double-blind, human clinical study measuring: weight, BMI, girth, appetite, pain, mood, complete safety toxicity study with blood panels to test every organ, CRP, homocysteine, HbA1c, IL-1, IL-6, TNF, bilirubin, albumin, creatinine, HDL, LDL, TDL, ALT, AST, ALP, GRF, CBC, REM sleep, deep sleep, awake time, restless sleep, systolic, diastolic BP, SpO2 blood oxygen levels, caloric output, heart rate, and energy consumption.

Safety & Toxicity:

All safety and toxicity measurements remained within healthy, normal ranges. Bloodwork data confirms and supports the product, taken daily at 50mg and 100mg, is safe for all organs and systems of the human body.

Note: Subjects made no changes to diet or exercise and believed they were enrolled in a general product safety study. They had no knowledge of being enrolled in a weight-loss study or that weight loss was a primary focus.

VARIN-RICH HEMP EXTRACT CLINICAL RESULTS

PRODUCT SAFETY STUDY

REDUCING INFLAMMATION: A ROOT CAUSE OF MANY HEALTH ISSUES


Virtually all chronic health issues can be traced back to inflammation and how our bodies react to it. A clinical study showed the Varin-rich hemp extract in our BEVARIN[™] Complex to be 92% effective in reducing inflammation with no observed damage to the liver or kidneys.

REDUCING WEIGHT, SLEEPLESSNESS, STRESS, AND PAIN

These chronic issues significantly reduce quality of life while also impacting lifespan. A clinical study showed the Varin-rich hemp extract in our BEVARIN[™] Complex to be effective in significantly reducing pertinent markers associated with these issues.



Inflammation



Weight



Sleeplessness



Stress



Pain

[™]

www.bevarin.com

These statements have not been evaluated by the Food & Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.



BEVARIN
W e l l n e s s

VARIN-RICH HEMP EXTRACT

ISSUES ADDRESSED AND MEASURED

ISSUE 01

Inflammation Concerns

Cognitive Decline
Joint Pain
Skin Issues
Depression



ISSUE 02

Weight Concerns

Excess Body Weight
Excess Body Fat
High Blood Sugar
High Blood Pressure



ISSUE 03

Sleeplessness Concerns

Excess Body Weight
High Blood Pressure
Anxiety
Depression



ISSUE 04

Stress Concerns

Anxiety
Anger
Headache
Fatigue



ISSUE 05

Pain Concerns

Anxiety
Depression
Migraines
Fibromyalgia




www.bevarin.com

These statements have not been evaluated by the Food & Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.




BEVARIN
Wellness

Reducing
INFLAMMATION
Clinical Results



Study subjects reported 92% efficacy in reducing inflammation



Study subjects reduced inflammation by up to 73%

Reduce
Inflammation
Naturally

125 out of 125 study subjects reported no adverse effects.

Safely Reduce
Inflammation


Varin-rich hemp extract was well tolerated with no adverse effects to blood, organ function, or vital signs.

0
damage

No observed damage to the kidneys or liver

5
markers

Significant reduction in five major markers of inflammation



92% efficacy in reducing inflammation

Inflammation is a natural process whereby the body fights irritants and offending agents and is an essential part of wound healing. It occurs at the very basic structural level of the human body which is the individual cell.

Symptoms of inflammation may include tiredness, headaches, stiffness, abdominal pain, chest pain, joint pain, mouth sores, skin issues, weight gain or inability to lose weight, fever, rashes and even depression.




BEVARIN
W e l l n e s s

Reducing
WEIGHT
Clinical Results



100 out of 100 test subjects given the Varin-rich hemp extract in BEVARIN™ Complex reduced weight without changes to diet or exercise



64% of the placebo group either gained weight or stayed the same

**Lose Weight
Without Dieting or
Exercising**

37 out of 37 prediabetic study subjects restored their HbA1c blood levels to normal levels after 90 days.

**Safely reduce A1c
Blood Sugar Levels**

Safely reduce A1c Blood Sugars by up to 7.5%.

**7
inches**

Up to 7 inches off the waist without diet or exercise

**18
pounds**

Up to 18 pounds lost by those taking 50mg/day without diet or exercise

**22
pounds**

Up to 22 pounds lost by those taking 100mg/day without diet or exercise

Throughout the course of the study, 100 out of 100 study subjects lost weight with a minimum weight loss of five (5) pounds.

Study subjects lost an average of 2.4 Inches of girth off their waist, while the placebo group increased abdominal girth on average.



BEVARIN
Wellness


Reducing

SLEEPLESSNESS

Clinical Results



Study subjects reported a 100% reduction in trouble falling asleep




Study subjects experienced a 50% increase in REM sleep after just two weeks

307% Increase in Deep Sleep


Over the course of the study subjects showed an overall increase in total time spent in deep sleep.

107% Increase in Feeling Refreshed Upon Waking

As early as three weeks into the study, subjects showed an immediate increase in duration of deep sleep, a 113% improvement over week one.



60% reduction in restless sleep



60% reduction in nighttime wakefulness after 30 days



100% reduction in restlessness


Through five weeks, study subjects continued to show improvements in duration of deep sleep with duration of depth plateauing at around 350 minutes.

From week one to week 13 of the study, subjects saw a dramatic increase in deep sleep duration from approximately 1.5 hours to 6 hours at the conclusion of the study.



BEVARIN
Wellness

Reducing
STRESS
Clinical Results



Study subjects reported an 85% reduction in anxiety




Study subjects reported trouble relaxing reduced by 90%


85% Reduction of Anxiety

100% Reduction of Restlessness

No adverse effects were reported by any of the study subjects, and all vital signs, blood, and organ safety parameters remained within normal limits.



85% reduction in anxiety



90% reduction in trouble relaxing



100% reduction of restlessness


The body's stress response system is usually self-regulating. Once a perceived threat has passed, hormone levels return to normal. As adrenaline and cortisol levels drop, heart rate and blood pressure return to baseline levels, and other systems resume their regular activities.

But when stressors are always present and one constantly feels under attack, the fight-or-flight reaction stays turned on.

The long-term activation of the stress response system and the overexposure to cortisol and other stress hormones that follows can disrupt almost all body processes.



Reducing
PAIN
Clinical Results



Study subjects reported an 89% reduction in pain




50% reduction in study subjects' frequency of desire for OTC pain relievers such as Tylenol, Advil, or ibuprofen

89% Reduction in Pain


88% Reduction in Worrying

Study subjects saw improvement in mood:


- related to pain
- related to workplace function
- during the “enjoyment of life”



68% increase in reported pain relief



75% reduction in reported pain at work



87% reduction in feeling nervous or anxious

Initially, study subjects reported average pain between 0-4 in various categories, with pain during sleep having the highest initial average value. This indicates that patients suffered from low- to mid-level pain during sleep.

By the end of the 90-day study, a significant reduction in average pain metrics was shown across all categories. Pain during sleep showed the greatest reduction with subjects reporting a 96.81% reduction in pain during sleep, as well as an 88.89% reduction in current pain levels.